Index to Volume 12

HYPERTENSION JULY–DECEMBER 1988

AUTHOR INDEX

Key to abbreviations: BR = brief review; CC = clinical conference; E = editorial; L = letter; PV = point of view; SR = special report.

Abe K, 11
Alderman MH, 223 (E)
Arai H, 117

Bagshaw RJ, 301
Bahner U, 519
Bähr V, 462
Bansal S, 1 (BR)
Barlassina C, 474
Baselli G, 600
Bates ER, 20
Batlle DC, 399
Baumbach GL, 89 (BR)
Beck FWJ, 485
Beckmann ML, 582
Beekhuis H, 411
Berkson DM, 574
Bertinieri G, 214
Biaggioni IO, 152
Bianchi G, 474, 620 (PV)
Bichisao E, 457
Blair ML, 506
Blas SD, 428
Boegehold MA, 184
Boer P, 450
Bohlen HG, 184
Bolla GB, 227
Bolterman R, 274
Borghetti A, 192
Bottiglieri DF, 102
Botting RM, 530 (BR)
Braam B, 450
Branch RA, 152
Branzi G, 295
Brisac AM, 279
Bruner CA, 388
Brunner HR, 526 (L)
Bruschi G, 192
Burnier M, 526 (L)
Byyny RL, 582

Campbell, WG Jr, 434
Camussi A, 620 (PV)
Casadei R, 214
Cerutti S, 600
Christensen NJ, 468 (L)
Ciulla M, 295
Clarke WR, 206
Cléroux J, 227
Cohn JN, 380
Colla R, 498
Collins VR, 380
Colombo R, 474
Conway J, 600
Coruzzi P, 498
Cowley AW Jr, 168
Cox RH, 301
Coyle P, 96
Cusi D, 474
Cuspidi C, 227

Davis FB, 428
Davis MM, 428
Davis PJ, 428
de Champlain J, 122
Dell'Orto S, 600
Deth RC, 331 (L)
Devynck M-A, 108
de Zeeuw D, 411
DiBona GF, 526 (L)
Di Legge V, 238
di Rienzo M, 214
Distante A, 238
Donnelly R, 443
Dorhout Mees EJ, 450
Dusseau JW, 74
Dyer AR, 574
Dzau VJ, 471 (E), 629 (SR)

Eccleston-Joyner CA, 513
Egan BM, 20, 199
Ehsani AA, 479
Eid H, 122
Ek TP, 331 (L)
Elliott HL, 443
Esler M, 468 (L)

Faraci FM, 556
Fiksen-Olsen MJ, 274
Fineberg NS, 251
Finkelstein SM, 380
Fitch-Burke MC, 549
Fleming WW, 133
Folkow B, 635 (L)
Francucci B, 457
Freis ED, 244
Fujii H, 26
Furlan R, 600

Gaillard CA, 450
Gaines Das RE, 629 (SR)
Garcia-Estañ J, 168
Gavras H, 405, 525 (L)
Geiger H, 519
Genain CP, 568
Gentili S, 457
Gerber JG, 582
Ghione S, 491
Giannattasio C, 227
Gilmore JP, 373
Gosch FC, 574
Grassi G, 227
Gray SD, 513
Graziadei L, 192
Grekin RJ, 20
Grichois M-L, 108
Groppelli A, 214
Gryglewski RJ, 530 (BR)
Guerra A, 498

Haber E, 529 (E)
Hagberg JM, 479
Hammoud J, 20
Hayashi J, 259
Heidland A, 519
Heistad DD, 89 (BR), 556
Henriksen JH, 468 (L)
Hershinow P, 574
Higashimori K, 67
Higgs EA, 365 (BR)
Hintze TH, 143
Hiruma M, 317
Ho H, 129
Hoffman BB, 129
Horrobin DF, 39
Horst RL, 310
Huisman RM, 411
Hutchins PM, 74

Ijichi H, 259
Ikeda T, 46
Ikemoto F, 317
Imai Y, 11
Imura H, 117
Inagami T, 67
Ishii M, 46
Ishimitsu T, 46
Itoh H, 117

Jackson EK, 102, 152
Jazayeri A, 393
Jeffries WB, 80
Jilka SM, 479
Jonker GJ, 411
Joossens JV, 589, 594
Joyner WL, 373

Kajiyama G, 26
Kaldunski ML, 287
Katahira K, 59
Kawasaki S, 259
Kelman AW, 443
Kesteloot H, 589, 594
Kido K, 26
Kim S, 317

King CM, 420
Kleiner S, 462
Koepke JP, 526 (L)
Kohara K, 59
Koomans HA, 450
Kopelman RI, 611 (CC)
Korsgaard N, 162
Kotchen TA, 568
Kotelevtsev YV, 267
Kravtsov GM, 267
Kumahara Y, 59

L'Abbate A, 238
Lacolley P, 279
Lacour B, 108
Lamport B, 223 (E)
LaPointe MS, 399
Laragh JH, 223 (E)
Lattanzi F, 238
Lauer RM, 206
Laurent S, 279
Lee L-C, 259
Legrand M, 279
Li P, 152
Llibre J, 399
Lombard JH, 168
Longhurst PA, 133
LoVerde M, 582
Lucarini AR, 238
Lüscher TF, 562
Lynch CD, 74

Magargal WW, 32
Magrini F, 295
Mahoney LT, 206
Makrides SC, 405
Malliani A, 600
Mancia G, 214, 227
Mangiapane ML, 506
Manku MS, 39
Marshburn TH, 74
Masaoka S, 26
Materson BJ, 244
Matsue K, 11
Matsumoto K, 26
Matsuoka H, 46
Matsuura H, 26
Mattson DL, 287
Maultsby SJ, 74
Mayhan WG, 556
McNutt RA, 611 (CC)
Meazza R, 295
Melloni E, 474
Ménard J, 526 (L)
Meredith PA, 443
Meyer P, 108
Meyer WJ III, 393
Mezzasalma L, 491
Mikami H, 59
Minami N, 11
Mistry M, 287
Miura Y, 11
Mizuno K, 67
Moncada S, 365 (BR)
Mondadori C, 295
Montain SJ, 479
Montanari A, 498
Montanari M, 457
Mori T, 117
Morii N, 117
Moser M, 324 (PV)
Mtabaji JP, 39
Mukoyama M, 117
Mulinari R, 405
Mulvany MJ, 162
Munakata M, 11
Murakami K, 317
Murakami O, 11
Myers TO, 373

Nakagawa M, 259
Nakamura Y, 259
Nakao K, 117
Nakata T, 259
Nasjletti A, 287
Natali A, 192
Nies AS, 582
Nihei M, 11
Novarini A, 498

Odia OJ, 330 (L)
Oelkers W, 462
Ogihara T, 59
Ohnishi A, 152
Okamoto M, 26
Orlandini G, 192
Orlov SN, 267
Oshima T, 26
Otsuka A, 59
Ott CE, 568
Overbeck HW, 32

Pagani M, 600
Palkovits M, 519
Palmer RMJ, 365 (BR)
Panarace G, 192
Panattoni E, 491
Parati G, 214
Pauker SG, 611 (CC)
Pedotti A, 214
Pedrinelli R, 192
Pernollet M-G, 108
Pettinger WA, 80
Picano E, 238
Piers DB, 411
Plouin P-F, 526 (L)
Pokudin NI, 267
Pomidossi G, 214
Pontremoli R, 474
Pontremoli S, 474
Poole S, 629 (SR)
Porter JP, 52
Postnov IY, 267
Postnov YV, 267

Quesada T, 274

Rabelink TJ, 450
Ragni G, 498
Raij L, 562
Rauch AL, 434
Reaven GM, 129
Reda DJ, 244
Reddy SR, 568
Reggiani P, 295
Reid JL, 443
Rice PJ, 133
Richards AM, 629 (SR)
Roberts N, 295
Robertson D, 102
Robertson JIS, 629 (SR)
Roman RJ, 168, 177, 287
Romero JC, 274
Ronconi M, 457
Rosa C, 491

Saito Y, 117
Salamino F, 474
Salazar FJ, 274
Salvetti A, 192, 238
Sampieri L, 227
Sano Y, 117
Sasaki Shuichi, 11
Sasaki Susumu, 259
Schedl HP, 310
Schieken RM, 206
Schmitt H, 279
Sealey J, 223 (E)
Sekino H, 11
Shenker Y, 20
Shikuma R, 32
Shiono S, 117
Sladek CD, 506
Sleight P, 600
Smith JB, 251
Smith TL, 74
Somers V, 600
Sowers JR, 485
Sparatore B, 474
Stamler J, 574
Stamler R, 574
Sterling C, 506
Sugawa H, 117
Sugawara A, 117
Sugimoto T, 46

Taddei S, 192
Takeda K, 259
Taylor DA, 133
Timio M, 457
Tizianello A, 474
Tsoucaris-Kupfer D, 279
Tsubokura T, 26
Tsuchioka Y, 26
Tsunetoshi T, 59

Uehara Y, 46
Uzogara EO, 330 (L)

Vallisa D, 498
van der Hem GK, 411
Vane JR, 530 (BR)
Vanhoutte PM, 562
Van Loon GR, 568
Venanzi S, 457
Verdecchia P, 457

Wade MB, 251
Waeber B, 526 (L)
Wallick ET, 32
Walsh MF, 485

Wauquier I, 108
Webb RC, 388, 420
Weder AB, 199
Weinberger MH, 251
Werber AH, 549
Wilson HD, 310
Yamada H, 117
Yamada T, 117
Yamamoto K, 317
Yang E, 80
Yoshinaga K, 11
Zanchetti A, 214
Zannis VI, 405
Zawada ET, 485
Zemel MB, 485
Zemel P, 485
Zusman RM, 327 (PV)

Index to Volume 12

HYPERTENSION JULY–DECEMBER 1988

SUBJECT INDEX

Key to abbreviations: BR = brief review; CC = clinical conference; E = editorial; L = letter; PV = point of view; SR = special report.

Abstracts, Council for High Blood Pressure Research
Abstracts of the Council for High Blood Pressure Research 42nd Annual Fall Conference and Scientific Sessions, 333

Acetylcholine
The endothelium partially obscures enhanced microvessel reactivity in DOCA hypertensive rats, 420
High potassium diet augments endothelium-dependent relaxations in the Dahl rat, 562

Adenosine
Adenosine in renin-dependent renovascular hypertension, 152
A comparison of nucleoside transport and metabolism in hypertensive and normotensive rats, 102

Adenosine 5′-diphosphate
High potassium diet augments endothelium-dependent relaxations in the Dahl rat, 562
Responses of cerebral arterioles to adenosine 5′-diphosphate, serotonin, and the thromboxane analogue U-46619 during chronic hypertension, 556

Adenosine triphosphatase
Analogue-specific action in vitro of atrial natriuretic factor on human red blood cell Ca^{2+}-ATPase activity, 428
Hypertensive dog plasma inhibits the Na^+-K^+ pump of cultured vascular smooth muscle, 32

Adrenal gland
Adrenal and vascular tyrosine hydroxylase activity in Goldblatt hypertension, 434
Adrenal-dependent change in vascular reactivity in stroke-prone spontaneously hypertensive rats, 388

Adrenergic receptor blockade
Diagnosis ex juvantibus: Individual response patterns to drugs reveal hypertension mechanisms and simplify treatment, 223 (E)
In defense of alternative antihypertensive therapy, 327 (PV)
In defense of traditional antihypertensive therapy, 324 (PV)
Initial antihypertensive drug therapy: final report of a randomized, controlled trial comparing α-blocker and diuretic, 574
Significance of renal vasodilation after administration of atrial natriuretic factor in the conscious dog, 143

Adrenergic receptors
Effect of sodium on central α_2-adrenergic receptors, 525 (L)
Glucocorticoid modulation of β-adrenergic receptors of cultured rat arterial smooth muscle cells, 393
Increased inositol monophosphate production in cardiovascular tissues of DOCA-salt hypertensive rats, 122
Renal α_1-adrenergic receptor response coupling in spontaneously hypertensive rats, 80
Suppression of angiotensin II release by prostaglandin synthesis inhibitors in hind legs, 67

Age
Age and blood pressure changes: a 20-year follow-up study in nuns in a secluded order, 457
Altered hemodynamics during exercise in older essential hypertensive subjects, 479
Total norepinephrine spillover, 468 (L)

Aldosterone
Effects of incremental infusions of atrial natriuretic factor on aldosterone, renin, and blood pressure in humans, 462
Salt sensitivity in blacks: salt intake and natriuretic substances, 485

Aldosteronism
Altered circadian blood pressure rhythm in patients with Cushing's syndrome, 11
Dietary sodium change in primary aldosteronism: atrial natriuretic factor, hormonal, and vascular responses, 192

Ambulatory blood pressure monitoring
Changes in autonomic regulation induced by physical training in mild hypertension, 600
Evaluation of the baroreceptor—heart rate reflex by 24-hour intra-arterial blood pressure monitoring in humans, 214

Angioplasty (*see* Renal angioplasty)

Angiotensin II
Adenosine in renin-dependent renovascular hypertension, 152
Angiotensin reactivity in the cheek pouch of the renovascular hypertensive hamster, 373
Effect of vasopressors on atrial natriuretic factor and hemodynamic function in humans, 20
Effects of incremental infusions of atrial natriuretic factor on aldosterone, renin, and blood pressure in humans, 462
Erythrocyte water, Na^+-K^+ cotransport, and forearm vascular function in humans, 199
Fate of recombinant human renin administered exogenously to anesthetized monkeys, 317
Suppression of angiotensin II release by prostaglandin synthesis inhibitors in hind legs, 67

Antihypertensive agents
Diagnosis ex juvantibus: individual response patterns to drugs reveal hypertension mechanisms and simplify treatment, 223 (E)
Effect of sodium on central α_2-adrenergic receptors, 525 (L)
In defense of alternative antihypertensive therapy, 327 (PV)
In defense of traditional antihypertensive therapy, 324 (PV)
Individualization of antihypertensive therapy, 526 (L)
Initial antihypertensive drug therapy: final report of a randomized, controlled trial comparing α-blocker and diuretic, 574
Propranolol increases prostacyclin synthesis in patients with essential hypertension, 582
Recommendations of the Adult Treatment Panel of the National Cholesterol Education Program: implications for the management of hypertension, 471 (E)

Anxiolytic agents
Recent life event frequencies in Nigerians with essential hypertension, 330 (L)

Arteries
Arterial hypertrophy in the fetal and neonatal spontaneously hypertensive rat, 513
Arteriolar diameter and tissue oxygen tension during muscle contraction in hypertensive rats, 184
Cellular hypertrophy in mesenteric resistance vessels from renal hypertensive rats, 162

Cerebral circulation in chronic arterial hypertension, 89 (BR)
Effects of hypertension and its reversal on canine arterial wall properties, 301
The renin response to aortic occlusion is enhanced by stimulation of the hypothalamus, 52
Responses of cerebral arterioles to adenosine 5′-diphosphate, serotonin, and the thromboxane analogue U-46619 during chronic hypertension, 556
Sensitivity of caudal arteries and the mesenteric vascular bed to norepinephrine in DOCA-salt hypertension, 133

Atrial natriuretic factor
Analogue-specific action in vitro of atrial natriuretic factor on human red blood cell Ca^{2+}-ATPase activity, 428
Atrial natriuretic factor in specific brain areas of spontaneously hypertensive rats, 519
Dietary sodium change in primary aldosteronism: atrial natriuretic factor, hormonal, and vascular responses, 192
Effect of vasopressors on atrial natriuretic factor and hemodynamic function in humans, 20
Effects of incremental infusions of atrial natriuretic factor on aldosterone, renin, and blood pressure in humans, 462
Enhanced natriuretic effect of atrial natriuretic factor during mineralocorticoid escape in humans, 450
The international standard for atrial natriuretic factor: calibration by an international collaborative study, 629 (SR)
A monoclonal antibody to α-human atrial natriuretic polypeptide, 117
Role of prostaglandins in mediating the renal effects of atrial natriuretic factor, 274
Salt sensitivity in blacks: salt intake and natriuretic substances, 485
Significance of renal vasodilation after administration of atrial natriuretic factor in the conscious dog, 143

Baroreceptor reflexes
Cardiopulmonary reflex before and after regression of left ventricular hypertrophy in essential hypertension, 227
Central attenuation of aortic baroreceptor reflex in prehypertensive DOCA-salt–loaded rats, 259
Central modulation of baroreceptor reflex response to phenylephrine by dihydropyridines in rats, 279
Changes in autonomic regulation induced by physical training in mild hypertension, 600
Evaluation of the baroreceptor—heart rate reflex by 24-hour intra-arterial blood pressure monitoring in humans, 214

Belgian Interuniversity Research on Nutrition and Health
Relationship of dietary sodium, potassium, calcium, and magnesium with blood pressure: Belgian Interuniversity Research on Nutrition and Health, 594
Relationship of serum sodium, potassium, calcium, and phosphorus with blood pressure: Belgian Interuniversity Research on Nutrition and Health, 589

Biometrical analysis
Genetics of essential hypertension: from the unimodal-bimodal controversy to molecular technology, 620 (PV)

Black population
Influence of race, sex, and blood pressure on erythrocyte sodium transport in humans, 251
Salt sensitivity in blacks: salt intake and natriuretic substances, 485
Volume (weight) loss and blood pressure response following thiazide diuretics, 244

Blood-brain barrier
Cerebral circulation in chronic arterial hypertension, 89 (BR)
Effect of chronic hypertension on acute hypertensive disruption of the blood-brain barrier in rats, 549

Blood flow
Abnormal renal responses to calcium entry blockade in normotensive offspring of hypertensive parents, 498
Angiotensin converting enzyme inhibition improves diagnostic procedures for renovascular hypertension in dogs, 411
Erythrocyte water, Na^+-K^+ cotransport, and forearm vascular function in humans, 199
Influence of eicosanoids on renal function of DOCA-salt hypertensive rats, 287
Pressure-diuresis in volume-expanded rats: cortical and medullary hemodynamics, 168
Pressure-diuresis in volume-expanded rats: tubular reabsorption in superficial and deep nephrons, 177
Resistance to blood flow at maximal vasodilatation, 635 (L)
Role of prostaglandins in mediating the renal effects of atrial natriuretic factor, 274
Significance of renal vasodilation after administration of atrial natriuretic factor in the conscious dog, 143

Blood pressure (*see also* Ambulatory blood pressure monitoring)
Adrenal-dependent change in vascular reactivity in stroke-prone spontaneously hypertensive rats, 388
Age and blood pressure changes: a 20-year follow-up study in nuns in a secluded order, 457
Altered circadian blood pressure rhythm in patients with Cushing's syndrome, 11
Altered hemodynamics during exercise in older essential hypertensive subjects, 479
Angiotensin reactivity in the cheek pouch of the renovascular hypertensive hamster, 373
Arterial hypertension is associated with hypalgesia in humans, 491
Attenuation of fructose-induced hypertension in rats by exercise training, 129
Attenuation of spontaneous hypertension in rats by a vasopressin antagonist, 506
Cardiogenic hypertension in maturing dogs, 295
Central attenuation of aortic baroreceptor reflex in prehypertensive DOCA-salt–loaded rats, 259
Dietary sodium change in primary aldosteronism: atrial natriuretic factor, hormonal, and vascular responses, 192
Effect of chronic hypertension on acute hypertensive disruption of the blood-brain barrier in rats, 549
Effects of incremental infusions of atrial natriuretic factor on aldosterone, renin, and blood pressure in humans, 462
Free cytosolic calcium in renal proximal tubules from the spontaneously hypertensive rat, 399
Individualization of antihypertensive therapy, 526 (L)
Influence of race, sex, and blood pressure on erythrocyte sodium transport in humans, 251
Left ventricular mass and exercise responses predict future blood pressure: the Muscatine Study, 206
Nifedipine: individual responses and concentration-effect relationships, 443
Pressure-diuresis in volume-expanded rats: cortical and medullary hemodynamics, 168
Pressure-diuresis in volume-expanded rats: tubular reabsorption in superficial and deep nephrons, 177
Recommendations of the Adult Treatment Panel of the National Cholesterol Education Program: implications for the management of hypertension, 471 (E)
Relationship of dietary sodium, potassium, calcium, and magnesium with blood pressure: Belgian Interuniversity Research on Nutrition and Health, 594
Relationship of serum sodium, potassium, calcium, and phosphorus with blood pressure: Belgian Interuniversity Research on Nutrition and Health, 589

Sexual dysfunction in hypertensive men: a critical review of the literature, 1 (BR)
Vasoconstriction and hypersensitivity to vasoactive substances after acute volume expansion in dogs, 59
Volume (weight) loss and blood pressure response following thiazide diuretics, 244

Borderline hypertension
Arterial hypertension is associated with hypalgesia in humans, 491

Brain
Atrial natriuretic factor in specific brain areas of spontaneously hypertensive rats, 519
Cerebral circulation in chronic arterial hypertension, 89 (BR)
High NaCl predisposes Dahl rats to cerebral infarction after middle cerebral artery occlusion, 96
The renin response to aortic occlusion is enhanced by stimulation of the hypothalamus, 52
Responses of cerebral arterioles to adenosine 5′-diphosphate, serotonin, and the thromboxane analogue U-46619 during chronic hypertension, 556

Brief reviews
Cerebral circulation in chronic arterial hypertension, 89 (BR)
The discovery of nitric oxide as the endogenous nitrovasodilator, 365 (BR)
Mediators produced by the endothelial cell, 530 (BR)
Sexual dysfunction in hypertensive men: a critical review of the literature, 1 (BR)

Caffeine
Adenosine in renin-dependent renovascular hypertension, 152

Calcium
Analogue-specific action in vitro of atrial natriuretic factor on human red blood cell Ca^{2+}-ATPase activity, 428
Calcium transport and vitamin D in three breeds of spontaneously hypertensive rats, 310
Free cytosolic calcium in renal proximal tubules from the spontaneously hypertensive rat, 399
Intralymphocytic sodium and free calcium and plasma renin in essential hypertension, 26
Relationship of dietary sodium, potassium, calcium, and magnesium with blood pressure: Belgian Interuniversity Research on Nutrition and Health, 594
Relationship of serum sodium, potassium, calcium, and phosphorus with blood pressure: Belgian Interuniversity Research on Nutrition and Health, 589

Calcium channel blockers
Abnormal renal responses to calcium entry blockade in normotensive offspring of hypertensive parents, 498
Central modulation of baroreceptor reflex response to phenylephrine by dihydropyridines in rats, 279
Diagnosis ex juvantibus: individual response patterns to drugs reveal hypertension mechanisms and simplify treatment, 223 (E)
In defense of alternative antihypertensive therapy, 327 (PV)
In defense of traditional antihypertensive therapy, 324 (PV)
Resistance to blood flow at maximal vasodilatation, 635 (L)

Calpain
Erythrocyte deficiency in calpain inhibitor activity in essential hypertension, 474

Cardiac output
Altered hemodynamics during exercise in older essential hypertensive subjects, 479
Cardiogenic hypertension in maturing dogs, 295
Vasoconstriction and hypersensitivity to vasoactive substances after acute volume expansion in dogs, 59

Cardiopulmonary receptors
Cardiopulmonary reflex before and after regression of left ventricular hypertrophy in essential hypertension, 227

Cardiovascular risk factors
Recommendations of the Adult Treatment Panel of the National Cholesterol Education Program: implications for the management of hypertension, 471 (E)

Cell cultures
Glucocorticoid modulation of β-adrenergic receptors of cultured rat arterial smooth muscle cells, 393
Hypertensive dog plasma inhibits the Na^+-K^+ pump of cultured vascular smooth muscle, 32

Cellular hypertrophy
Cellular hypertrophy in mesenteric resistance vessels from renal hypertensive rats, 162

Cerebral circulation
Cerebral circulation in chronic arterial hypertension, 89 (BR)
High NaCl predisposes Dahl rats to cerebral infarction after middle cerebral artery occlusion, 96
Responses of cerebral arterioles to adenosine 5′-diphosphate, serotonin, and the thromboxane analogue U-46619 during chronic hypertension, 556

Children
Left ventricular mass and exercise responses predict future blood pressure: the Muscatine Study, 206

Cholesterol
In defense of alternative antihypertensive therapy, 327 (PV)
In defense of traditional antihypertensive therapy, 324 (PV)
Initial antihypertensive drug therapy: final report of a randomized, controlled trial comparing α-blocker and diuretic, 574
Recommendations of the Adult Treatment Panel of the National Cholesterol Education Program: implications for the management of hypertension, 471 (E)

Circadian rhythm
Altered circadian blood pressure rhythm in patients with Cushing's syndrome, 11

Clinical conferences
Use of decision analysis in a complicated case of renovascular hypertension, 611 (CC)

Clinical trials
Diagnosis ex juvantibus: individual response patterns to drugs reveal hypertension mechanisms and simplify treatment, 223 (E)
In defense of traditional antihypertensive therapy, 324 (PV)
Initial antihypertensive drug therapy: final report of a randomized, controlled trial comparing α-blocker and diuretic, 574

Clonidine
Effect of sodium on central α_2-adrenergic receptors, 525 (L)
Sexual dysfunction in hypertensive men: a critical review of the literature, 1 (BR)

Connective tissue
Effects of hypertension and its reversal on canine arterial wall properties, 301

Converting enzyme inhibitors
Angiotensin converting enzyme inhibition improves diagnostic procedures for renovascular hypertension in dogs, 411
Diagnosis ex juvantibus: individual response patterns to drugs reveal hypertension mechanisms and simplify treatment, 223 (E)
In defense of alternative antihypertensive therapy, 327 (PV)
In defense of traditional antihypertensive therapy, 324 (PV)

Coronary artery disease
Dipyridamole echocardiography in essential hypertensive patients with chest pain, 238
Recommendations of the Adult Treatment Panel of the National Cholesterol Education Program: implications for the management of hypertension, 471 (E)

Cushing's syndrome
Altered circadian blood pressure rhythm in patients with Cushing's syndrome, 11
Cyclic AMP
Glucocorticoid modulation of β-adrenergic receptors of cultured rat arterial smooth muscle cells, 393

Dahl rats
Effect of chronic hypertension on acute hypertensive disruption of the blood-brain barrier in rats, 549
Failure of salt loading to inhibit tissue norepinephrine turnover in prehypertensive Dahl salt-sensitive rats, 568
High NaCl predisposes Dahl rats to cerebral infarction after middle cerebral artery occlusion, 96
High potassium diet augments endothelium-dependent relaxations in the Dahl rat, 562
Decision analysis
Use of decision analysis in a complicated case of renovascular hypertension, 611 (CC)
Diet
Effect of sodium on central α_2-adrenergic receptors, 525 (L)
High NaCl predisposes Dahl rats to cerebral infarction after middle cerebral artery occlusion, 96
High potassium diet augments endothelium-dependent relaxations in the Dahl rat, 562
Relationship of dietary sodium, potassium, calcium, and magnesium with blood pressure: Belgian Interuniversity Research on Nutrition and Health, 594
Salt sensitivity in blacks: salt intake and natriuretic substances, 485
Digitalislike compounds
Endogenous digitalislike circulating substances in spontaneously hypertensive rats, 108
Dihydropyridines
Central modulation of baroreceptor reflex response to phenylephrine by dihydropyridines in rats, 279
Dipyridamole
Dipyridamole echocardiography in essential hypertensive patients with chest pain, 238
Diuresis
Pressure-diuresis in volume-expanded rats: cortical and medullary hemodynamics, 168
Pressure-diuresis in volume-expanded rats: tubular reabsorption in superficial and deep nephrons, 177
Diuretics
Diagnosis ex juvantibus: individual response patterns to drugs reveal hypertension mechanisms and simplify treatment, 223 (E)
In defense of alternative antihypertensive therapy, 327 (PV)
In defense of traditional antihypertensive therapy, 324 (PV)
Initial antihypertensive drug therapy: final report of a randomized, controlled trial comparing α-blocker and diuretic, 574
Sexual dysfunction in hypertensive men: a critical review of the literature, 1 (BR)
Volume (weight) loss and blood pressure response following thiazide diuretics, 244
DNA
Regulation of renin gene expression in hypertensive rats, 405
DOCA-salt hypertension (*see also* Mineralocorticoid hypertension)
Adrenal-dependent change in vascular reactivity in stroke-prone spontaneously hypertensive rats, 388
Central attenuation of aortic baroreceptor reflex in prehypertensive DOCA-salt–loaded rats, 259
Effect of chronic hypertension on acute hypertensive disruption of the blood-brain barrier in rats, 549
The endothelium partially obscures enhanced microvessel reactivity in DOCA hypertensive rats, 420
Increased inositol monophosphate production in cardiovascular tissues of DOCA-salt hypertensive rats, 122
Influence of eicosanoids on renal function of DOCA-salt hypertensive rats, 287
Regulation of renin gene expression in hypertensive rats, 405
Sensitivity of caudal arteries and the mesenteric vascular bed to norepinephrine in DOCA-salt hypertension, 133
Dog studies
Angiotensin converting enzyme inhibition improves diagnostic procedures for renovascular hypertension in dogs, 411
Arterial vascular compliance response to vasodilators by Fourier and pulse contour analysis, 380
Cardiogenic hypertension in maturing dogs, 295
Effects of hypertension and its reversal on canine arterial wall properties, 301
Hypertensive dog plasma inhibits the Na^+-K^+ pump of cultured vascular smooth muscle, 32
Role of prostaglandins in mediating the renal effects of atrial natriuretic factor, 274
Significance of renal vasodilation after administration of atrial natriuretic factor in the conscious dog, 143
Vasoconstriction and hypersensitivity to vasoactive substances after acute volume expansion in dogs, 59
Dopamine
Salt sensitivity in blacks: salt intake and natriuretic substances, 485

Echocardiography
Dipyridamole echocardiography in essential hypertensive patients with chest pain, 238
Editorials
Diagnosis ex juvantibus: individual response patterns to drugs reveal hypertension mechanisms and simplify treatment, 223 (E)
Recommendations of the Adult Treatment Panel of the National Cholesterol Education Program: implications for the management of hypertension, 471 (E)
Ten years of *Hypertension*, 529 (E)
Electrocardiography
Dipyridamole echocardiography in essential hypertensive patients with chest pain, 238
Electrolyte balance
Failure of salt loading to inhibit tissue norepinephrine turnover in prehypertensive Dahl salt-sensitive rats, 568
Endothelium
Cerebral circulation in chronic arterial hypertension, 89 (BR)
High potassium diet augments endothelium-dependent relaxations in the Dahl rat, 562
Responses of cerebral arterioles to adenosine 5′-diphosphate, serotonin, and the thromboxane analogue U-46619 during chronic hypertension, 556
Endothelium-derived relaxing factor
The discovery of nitric oxide as the endogenous nitrovasodilator, 365 (BR)
The endothelium partially obscures enhanced microvessel reactivity in DOCA hypertensive rats, 420
Mediators produced by the endothelial cell, 530 (BR)
Epidemiology
Relationship of dietary sodium, potassium, calcium, and magnesium with blood pressure: Belgian Interuniversity Research on Nutrition and Health, 594
Relationship of serum sodium, potassium, calcium, and phosphorus with blood pressure: Belgian Interuniversity Research on Nutrition and Health, 589

Epinephrine
Total norepinephrine spillover, 468 (L)
Essential hypertension
Abnormal renal responses to calcium entry blockade in normotensive offspring of hypertensive parents, 498
Altered circadian blood pressure rhythm in patients with Cushing's syndrome, 11
Altered hemodynamics during exercise in older essential hypertensive subjects, 479
Arterial hypertension is associated with hypalgesia in humans, 491
Cardiopulmonary reflex before and after regression of left ventricular hypertrophy in essential hypertension, 227
Dipyridamole echocardiography in essential hypertensive patients with chest pain, 238
Effect of protein kinase C activation on cytoskeleton and cation transport in human erythrocytes: reproduction of some membrane abnormalities revealed in essential hypertension, 267
Erythrocyte deficiency in calpain inhibitor activity in essential hypertension, 474
Genetics of essential hypertension: from the unimodal-bimodal controversy to molecular technology, 620 (PV)
Influence of race, sex, and blood pressure on erythrocyte sodium transport in humans, 251
Intralymphocytic sodium and free calcium and plasma renin in essential hypertension, 26
Nifedipine: individual responses and concentration-effect relationships, 443
Recent life event frequencies in Nigerians with essential hypertension, 330 (L)
Exercise
Altered hemodynamics during exercise in older essential hypertensive subjects, 479
Arteriolar diameter and tissue oxygen tension during muscle contraction in hypertensive rats, 184
Attenuation of fructose-induced hypertension in rats by exercise training, 129
Changes in autonomic regulation induced by physical training in mild hypertension, 600
Dipyridamole echocardiography in essential hypertensive patients with chest pain, 238
Left ventricular mass and exercise responses predict future blood pressure: the Muscatine Study, 206

Fatty acids
Release of fatty acids by perfused vascular tissue in normotensive and hypertensive rats, 39
Fourier analysis
Arterial vascular compliance response to vasodilators by Fourier and pulse contour analysis, 380
Fructose-induced hypertension
Attenuation of fructose-induced hypertension in rats by exercise training, 129

Genetics
Abnormal renal responses to calcium entry blockade in normotensive offspring of hypertensive parents, 498
Genetics of essential hypertension: from the unimodal-bimodal controversy to molecular technology, 620 (PV)
High NaCl predisposes Dahl rats to cerebral infarction after middle cerebral artery occlusion, 96
Regulation of renin gene expression in hypertensive rats, 405
Glucocorticoids
Altered circadian blood pressure rhythm in patients with Cushing's syndrome, 11
Glucocorticoid modulation of β-adrenergic receptors of cultured rat arterial smooth muscle cells, 393
Goldblatt hypertension
Adenosine in renin-dependent renovascular hypertension, 152
Adrenal and vascular tyrosine hydroxylase activity in Goldblatt hypertension, 434
Cellular hypertrophy in mesenteric resistance vessels from renal hypertensive rats, 162
Effect of chronic hypertension on acute hypertensive disruption of the blood-brain barrier in rats, 549
Regulation of renin gene expression in hypertensive rats, 405
Guanabenz
Effect of sodium on central α_2-adrenergic receptors, 525 (L)

Hamster studies
Angiotensin reactivity in the cheek pouch of the renovascular hypertensive hamster, 373
Heart rate
Altered circadian blood pressure rhythm in patients with Cushing's syndrome, 11
Evaluation of the baroreceptor—heart rate reflex by 24-hour intra-arterial blood pressure monitoring in humans, 214
Hemodynamics (*see* Blood flow, Renal hemodynamics)
Human studies
Abnormal renal responses to calcium entry blockade in normotensive offspring of hypertensive parents, 498
Age and blood pressure changes: a 20-year follow-up study in nuns in a secluded order, 457
Altered circadian blood pressure rhythm in patients with Cushing's syndrome, 11
Altered hemodynamics during exercise in older essential hypertensive subjects, 479
Arterial hypertension is associated with hypalgesia in humans, 491
Cardiopulmonary reflex before and after regression of left ventricular hypertrophy in essential hypertension, 227
Changes in autonomic regulation induced by physical training in mild hypertension, 600
Dietary sodium change in primary aldosteronism: atrial natriuretic factor, hormonal, and vascular responses, 192
Dipyridamole echocardiography in essential hypertensive patients with chest pain, 238
Effect of vasopressors on atrial natriuretic factor and hemodynamic function in humans, 20
Effects of incremental infusions of atrial natriuretic factor on aldosterone, renin, and blood pressure in humans, 462
Enhanced natriuretic effect of atrial natriuretic factor during mineralocorticoid escape in humans, 450
Erythrocyte deficiency in calpain inhibitor activity in essential hypertension, 474
Erythrocyte water, Na^+-K^+ cotransport, and forearm vascular function in humans, 199
Evaluation of the baroreceptor—heart rate reflex by 24-hour intra-arterial blood pressure monitoring in humans, 214
Influence of race, sex, and blood pressure on erythrocyte sodium transport in humans, 251
Initial antihypertensive drug therapy: final report of a randomized, controlled trial comparing α-blocker and diuretic, 574
Intralymphocytic sodium and free calcium and plasma renin in essential hypertension, 26
Left ventricular mass and exercise responses predict future blood pressure: the Muscatine Study, 206
Nifedipine: individual responses and concentration-effect relationships, 443
Propranolol increases prostacyclin synthesis in patients with essential hypertension, 582

Relationship of dietary sodium, potassium, calcium, and magnesium with blood pressure: Belgian Interuniversity Research on Nutrition and Health, 594
Relationship of serum sodium, potassium, calcium, and phosphorus with blood pressure: Belgian Interuniversity Research on Nutrition and Health, 589
Salt sensitivity in blacks: salt intake and natriuretic substances, 485
Use of decision analysis in a complicated case of renovascular hypertension, 611 (CC)
Volume (weight) loss and blood pressure response following thiazide diuretics, 244

Hydralazine
Long-term microvascular response to hydralazine in spontaneously hypertensive rats, 74

Hydrochlorothiazide
Initial antihypertensive drug therapy: final report of a randomized, controlled trial comparing α-blocker and diuretic, 574

13-Hydroxy-9,11-octadecadienoic acid
Mediators produced by the endothelial cell, 530 (BR)

Hypalgesia
Arterial hypertension is associated with hypalgesia in humans, 491

Hyperinsulinemia
Attenuation of fructose-induced hypertension in rats by exercise training, 129

***Hypertension* journal**
A note of thanks to reviewers, 638
Ten years of *Hypertension*, 529 (E)

Hypothalamus
The renin response to aortic occlusion is enhanced by stimulation of the hypothalamus, 52

Impotence
Sexual dysfunction in hypertensive men: a critical review of the literature, 1 (BR)

Indomethacin
Propranolol increases prostacyclin synthesis in patients with essential hypertension, 582
Responses of cerebral arterioles to adenosine 5′-diphosphate, serotonin, and the thromboxane analogue U-46619 during chronic hypertension, 556
Role of prostaglandins in mediating the renal effects of atrial natriuretic factor, 274
Suppression of angiotensin II release by prostaglandin synthesis inhibitors in hind legs, 67

Inositol phosphates
Increased inositol monophosphate production in cardiovascular tissues of DOCA-salt hypertensive rats, 122
Renal α_1-adrenergic receptor response coupling in spontaneously hypertensive rats, 80

Insulin
Attenuation of fructose-induced hypertension in rats by exercise training, 129

International standard
The international standard for atrial natriuretic factor: calibration by an international collaborative study, 629 (SR)

Intestinal mucosa
Calcium transport and vitamin D in three breeds of spontaneously hypertensive rats, 310

Ion transport
Effect of protein kinase C activation on cytoskeleton and cation transport in human erythrocytes: reproduction of some membrane abnormalities revealed in essential hypertension, 267

Joint National Committee Report
In defense of alternative antihypertensive therapy, 327 (PV)

Kidney
Abnormal renal responses to calcium entry blockade in normotensive offspring of hypertensive parents, 498
Enhanced natriuretic effect of atrial natriuretic factor during mineralocorticoid escape in humans, 450
Fate of recombinant human renin administered exogenously to anesthetized monkeys, 317
Free cytosolic calcium in renal proximal tubules from the spontaneously hypertensive rat, 399
Pressure-diuresis in volume-expanded rats: cortical and medullary hemodynamics, 168
Pressure-diuresis in volume-expanded rats: tubular reabsorption in superficial and deep nephrons, 177
Regulation of renin gene expression in hypertensive rats, 405
Renal α_1-adrenergic receptor response coupling in spontaneously hypertensive rats, 80

Kininase II
Angiotensin reactivity in the cheek pouch of the renovascular hypertensive hamster, 373

Letters to the editor
Effect of sodium on central α_2-adrenergic receptors, 525 (L)
Elevated phospholipase C and Na^+-H^+ exchange activity in spontaneously hypertensive rats, 331 (L)
Individualization of antihypertensive therapy, 526 (L)
Recent life event frequencies in Nigerians with essential hypertension, 330 (L)
Resistance to blood flow at maximal vasodilatation, 635 (L)
Total norepinephrine spillover, 468 (L)

Life event frequencies
Recent life event frequencies in Nigerians with essential hypertension, 330 (L)

Lipids
Initial antihypertensive drug therapy: final report of a randomized, controlled trial comparing α-blocker and diuretic, 574
Recommendations of the Adult Treatment Panel of the National Cholesterol Education Program: implications for the management of hypertension, 471 (E)

Lithium
Abnormal renal responses to calcium entry blockade in normotensive offspring of hypertensive parents, 498
Erythrocyte water, Na^+-K^+ cotransport, and forearm vascular function in humans, 199

Liver
Fate of recombinant human renin administered exogenously to anesthetized monkeys, 317

Lymphocytes
Intralymphocytic sodium and free calcium and plasma renin in essential hypertension, 26

Magnesium
Relationship of dietary sodium, potassium, calcium, and magnesium with blood pressure: Belgian Interuniversity Research on Nutrition and Health, 594

Markov process
Use of decision analysis in a complicated case of renovascular hypertension, 611 (CC)

Meclofenamate
Influence of eicosanoids on renal function of DOCA-salt hypertensive rats, 287
Role of prostaglandins in mediating the renal effects of atrial natriuretic factor, 274
Suppression of angiotensin II release by prostaglandin synthesis inhibitors in hind legs, 67

Membranes
Effect of protein kinase C activation on cytoskeleton and cation transport in human erythrocytes: reproduction of some membrane abnormalities revealed in essential hypertension, 267
Messenger RNA
Regulation of renin gene expression in hypertensive rats, 405
Methyldopa
Sexual dysfunction in hypertensive men: a critical review of the literature, 1 (BR)
Microcirculation
Long-term microvascular response to hydralazine in spontaneously hypertensive rats, 74
Milan rats
Genetics of essential hypertension: from the unimodal-bimodal controversy to molecular technology, 620 (PV)
Mild hypertension
Changes in autonomic regulation induced by physical training in mild hypertension, 600
In defense of alternative antihypertensive therapy, 327 (PV)
In defense of traditional antihypertensive therapy, 324 (PV)
Propranolol increases prostacyclin synthesis in patients with essential hypertension, 582
Mineralocorticoid hypertension (*see also* DOCA-salt hypertension)
The endothelium partially obscures enhanced microvessel reactivity in DOCA hypertensive rats, 420
Mineralocorticoids
Enhanced natriuretic effect of atrial natriuretic factor during mineralocorticoid escape in humans, 450
Monkey studies
Fate of recombinant human renin administered exogenously to anesthetized monkeys, 317
Monoclonal antibodies
A monoclonal antibody to α-human atrial natriuretic polypeptide, 117
Mouse studies
A monoclonal antibody to α-human atrial natriuretic polypeptide, 117
Muscatine Study
Left ventricular mass and exercise responses predict future blood pressure: the Muscatine Study, 206

National Cholesterol Education Program
Recommendations of the Adult Treatment Panel of the National Cholesterol Education Program: implications for the management of hypertension, 471 (E)
Natriuresis
Enhanced natriuretic effect of atrial natriuretic factor during mineralocorticoid escape in humans, 450
Pressure-diuresis in volume-expanded rats: cortical and medullary hemodynamics, 168
Pressure-diuresis in volume-expanded rats: tubular reabsorption in superficial and deep nephrons, 177
Nephrectomy
Effects of hypertension and its reversal on canine arterial wall properties, 301
Nifedipine
Abnormal renal responses to calcium entry blockade in normotensive offspring of hypertensive parents, 498
Nifedipine: individual responses and concentration-effect relationships, 443
Resistance to blood flow at maximal vasodilatation, 635 (L)
Nigeria
Recent life event frequencies in Nigerians with essential hypertension, 330 (L)
Nitric oxide
The discovery of nitric oxide as the endogenous nitrovasodilator, 365 (BR)
Nitroprusside
The endothelium partially obscures enhanced microvessel reactivity in DOCA hypertensive rats, 420
Nitrovasodilators
The discovery of nitric oxide as the endogenous nitrovasodilator, 365 (BR)
Norepinephrine
Adrenal-dependent change in vascular reactivity in stroke-prone spontaneously hypertensive rats, 388
Cardiopulmonary reflex before and after regression of left ventricular hypertrophy in essential hypertension, 227
The endothelium partially obscures enhanced microvessel reactivity in DOCA hypertensive rats, 420
Erythrocyte water, Na^+-K^+ cotransport, and forearm vascular function in humans, 199
Failure of salt loading to inhibit tissue norepinephrine turnover in prehypertensive Dahl salt-sensitive rats, 568
High potassium diet augments endothelium-dependent relaxations in the Dahl rat, 562
Increased inositol monophosphate production in cardiovascular tissues of DOCA-salt hypertensive rats, 122
Renal α_1-adrenergic receptor response coupling in spontaneously hypertensive rats, 80
Salt sensitivity in blacks: salt intake and natriuretic substances, 485
Sensitivity of caudal arteries and the mesenteric vascular bed to norepinephrine in DOCA-salt hypertension, 133
Total norepinephrine spillover, 468 (L)
Nucleoside transport
A comparison of nucleoside transport and metabolism in hypertensive and normotensive rats, 102

Ouabain
Hypertensive dog plasma inhibits the Na^+-K^+ pump of cultured vascular smooth muscle, 32

Pain
Arterial hypertension is associated with hypalgesia in humans, 491
Pharmacokinetics
Nifedipine: individual responses and concentration-effect relationships, 443
Phenylephrine
Central modulation of baroreceptor reflex response to phenylephrine by dihydropyridines in rats, 279
Effect of vasopressors on atrial natriuretic factor and hemodynamic function in humans, 20
Phospholipase C
Elevated phospholipase C and Na^+-H^+ exchange activity in spontaneously hypertensive rats, 331 (L)
Renal α_1-adrenergic receptor response coupling in spontaneously hypertensive rats, 80
Phosphorus
Relationship of dietary sodium, potassium, calcium, and magnesium with blood pressure: Belgian Interuniversity Research on Nutrition and Health, 594
Relationship of serum sodium, potassium, calcium, and phosphorus with blood pressure: Belgian Interuniversity Research on Nutrition and Health, 589
Platelets
Mediators produced by the endothelial cell, 530 (BR)
Responses of cerebral arterioles to adenosine 5′-diphosphate, serotonin, and the thromboxane analogue U-46619 during chronic hypertension, 556

Points of view
Genetics of essential hypertension: from the unimodal-bimodal controversy to molecular technology, 620 (PV)
In defense of alternative antihypertensive therapy, 327 (PV)
In defense of traditional antihypertensive therapy, 324 (PV)

Potassium
High potassium diet augments endothelium-dependent relaxations in the Dahl rat, 562
Intralymphocytic sodium and free calcium and plasma renin in essential hypertension, 26
Relationship of dietary sodium, potassium, calcium, and magnesium with blood pressure: Belgian Interuniversity Research on Nutrition and Health, 594
Relationship of serum sodium, potassium, calcium, and phosphorus with blood pressure: Belgian Interuniversity Research on Nutrition and Health, 589
Significance of renal vasodilation after administration of atrial natriuretic factor in the conscious dog, 143

Prazosin
Initial antihypertensive drug therapy: final report of a randomized, controlled trial comparing α-blocker and diuretic, 574

Prehypertensive state
Abnormal renal responses to calcium entry blockade in normotensive offspring of hypertensive parents, 498
Arterial hypertrophy in the fetal and neonatal spontaneously hypertensive rat, 513
Failure of salt loading to inhibit tissue norepinephrine turnover in prehypertensive Dahl salt-sensitive rats, 568

Propranolol
Propranolol increases prostacyclin synthesis in patients with essential hypertension, 582
Sexual dysfunction in hypertensive men: a critical review of the literature, 1 (BR)
Suppression of angiotensin II release by prostaglandin synthesis inhibitors in hind legs, 67

Prostaglandins
The discovery of nitric oxide as the endogenous nitrovasodilator, 365 (BR)
Influence of eicosanoids on renal function of DOCA-salt hypertensive rats, 287
Mediators produced by the endothelial cell, 530 (BR)
Propranolol increases prostacyclin synthesis in patients with essential hypertension, 582
Release of fatty acids by perfused vascular tissue in normotensive and hypertensive rats, 39
Role of prostaglandins in mediating the renal effects of atrial natriuretic factor, 274
Salt sensitivity in blacks: salt intake and natriuretic substances, 485
Suppression of angiotensin II release by prostaglandin synthesis inhibitors in hind legs, 67

Protein kinase C
Effect of protein kinase C activation on cytoskeleton and cation transport in human erythrocytes: reproduction of some membrane abnormalities revealed in essential hypertension, 267
Elevated phospholipase C and Na^+-H^+ exchange activity in spontaneously hypertensive rats, 331 (L)

Pulse contour analysis
Arterial vascular compliance response to vasodilators by Fourier and pulse contour analysis, 380

Rabbit studies
Adrenal and vascular tyrosine hydroxylase activity in Goldblatt hypertension, 434

Race (*see* Black population)

Radioimmunoassay
A monoclonal antibody to α-human atrial natriuretic polypeptide, 117

Rat studies
Adenosine in renin-dependent renovascular hypertension, 152
Adrenal-dependent change in vascular reactivity in stroke-prone spontaneously hypertensive rats, 388
Arterial hypertrophy in the fetal and neonatal spontaneously hypertensive rat, 513
Arteriolar diameter and tissue oxygen tension during muscle contraction in hypertensive rats, 184
Atrial natriuretic factor in specific brain areas of spontaneously hypertensive rats, 519
Attenuation of fructose-induced hypertension in rats by exercise training, 129
Attenuation of spontaneous hypertension in rats by a vasopressin antagonist, 506
Calcium transport and vitamin D in three breeds of spontaneously hypertensive rats, 310
Cellular hypertrophy in mesenteric resistance vessels from renal hypertensive rats, 162
Central attenuation of aortic baroreceptor reflex in prehypertensive DOCA-salt–loaded rats, 259
Central modulation of baroreceptor reflex response to phenylephrine by dihydropyridines in rats, 279
A comparison of nucleoside transport and metabolism in hypertensive and normotensive rats, 102
Effect of chronic hypertension on acute hypertensive disruption of the blood-brain barrier in rats, 549
Endogenous digitalislike circulating substances in spontaneously hypertensive rats, 108
The endothelium partially obscures enhanced microvessel reactivity in DOCA hypertensive rats, 420
Failure of salt loading to inhibit tissue norepinephrine turnover in prehypertensive Dahl salt-sensitive rats, 568
Free cytosolic calcium in renal proximal tubules from the spontaneously hypertensive rat, 399
High NaCl predisposes Dahl rats to cerebral infarction after middle cerebral artery occlusion, 96
High potassium diet augments endothelium-dependent relaxations in the Dahl rat, 562
Increased inositol monophosphate production in cardiovascular tissues of DOCA-salt hypertensive rats, 122
Influence of eicosanoids on renal function of DOCA-salt hypertensive rats, 287
Long-term microvascular response to hydralazine in spontaneously hypertensive rats, 74
Pressure-diuresis in volume-expanded rats: cortical and medullary hemodynamics, 168
Pressure-diuresis in volume-expanded rats: tubular reabsorption in superficial and deep nephrons, 177
Regulation of renin gene expression in hypertensive rats, 405
Release of fatty acids by perfused vascular tissue in normotensive and hypertensive rats, 39
Renal α_1-adrenergic receptor response coupling in spontaneously hypertensive rats, 80
The renin response to aortic occlusion is enhanced by stimulation of the hypothalamus, 52
Responses of cerebral arterioles to adenosine 5′-diphosphate, serotonin, and the thromboxane analogue U-46619 during chronic hypertension, 556
Sensitivity of caudal arteries and the mesenteric vascular bed to norepinephrine in DOCA-salt hypertension, 133
Suppression of angiotensin II release by prostaglandin synthesis inhibitors in hind legs, 67

Thromboxane and vascular smooth muscle cell growth in genetically hypertensive rats, 46
Recombinant human renin
Fate of recombinant human renin administered exogenously to anesthetized monkeys, 317
Red blood cells
Analogue-specific action in vitro of atrial natriuretic factor on human red blood cell Ca^{2+}-ATPase activity, 428
Effect of protein kinase C activation on cytoskeleton and cation transport in human erythrocytes: reproduction of some membrane abnormalities revealed in essential hypertension, 267
Erythrocyte deficiency in calpain inhibitor activity in essential hypertension, 474
Erythrocyte water, Na^+-K^+ cotransport, and forearm vascular function in humans, 199
Influence of race, sex, and blood pressure on erythrocyte sodium transport in humans, 251
Renal angioplasty
Use of decision analysis in a complicated case of renovascular hypertension, 611 (CC)
Renal hemodynamics
Angiotensin converting enzyme inhibition improves diagnostic procedures for renovascular hypertension in dogs, 411
Enhanced natriuretic effect of atrial natriuretic factor during mineralocorticoid escape in humans, 450
Influence of eicosanoids on renal function of DOCA-salt hypertensive rats, 287
Pressure-diuresis in volume-expanded rats: cortical and medullary hemodynamics, 168
Pressure-diuresis in volume-expanded rats: tubular reabsorption in superficial and deep nephrons, 177
Role of prostaglandins in mediating the renal effects of atrial natriuretic factor, 274
Significance of renal vasodilation after administration of atrial natriuretic factor in the conscious dog, 143
Renal hypertension
Effect of chronic hypertension on acute hypertensive disruption of the blood-brain barrier in rats, 549
Renin
Adenosine in renin-dependent renovascular hypertension, 152
Cardiopulmonary reflex before and after regression of left ventricular hypertrophy in essential hypertension, 227
Effects of incremental infusions of atrial natriuretic factor on aldosterone, renin, and blood pressure in humans, 462
Fate of recombinant human renin administered exogenously to anesthetized monkeys, 317
Intralymphocytic sodium and free calcium and plasma renin in essential hypertension, 26
Regulation of renin gene expression in hypertensive rats, 405
The renin response to aortic occlusion is enhanced by stimulation of the hypothalamus, 52
Renin-angiotensin system
Angiotensin converting enzyme inhibition improves diagnostic procedures for renovascular hypertension in dogs, 411
Suppression of angiotensin II release by prostaglandin synthesis inhibitors in hind legs, 67
Renovascular hypertension
Adenosine in renin-dependent renovascular hypertension, 152
Angiotensin converting enzyme inhibition improves diagnostic procedures for renovascular hypertension in dogs, 411
Angiotensin reactivity in the cheek pouch of the renovascular hypertensive hamster, 373
Cellular hypertrophy in mesenteric resistance vessels from renal hypertensive rats, 162
Effects of hypertension and its reversal on canine arterial wall properties, 301
Use of decision analysis in a complicated case of renovascular hypertension, 611 (CC)
Resistance-dependent hypertension
Vasoconstriction and hypersensitivity to vasoactive substances after acute volume expansion in dogs, 59

Salt loading
Central attenuation of aortic baroreceptor reflex in prehypertensive DOCA-salt–loaded rats, 259
Effect of chronic hypertension on acute hypertensive disruption of the blood-brain barrier in rats, 549
Failure of salt loading to inhibit tissue norepinephrine turnover in prehypertensive Dahl salt-sensitive rats, 568
High potassium diet augments endothelium-dependent relaxations in the Dahl rat, 562
Influence of eicosanoids on renal function of DOCA-salt hypertensive rats, 287
Salt sensitivity in blacks: salt intake and natriuretic substances, 485
Serotonin
Responses of cerebral arterioles to adenosine 5′-diphosphate, serotonin, and the thromboxane analogue U-46619 during chronic hypertension, 556
Serum
Relationship of dietary sodium, potassium, calcium, and magnesium with blood pressure: Belgian Interuniversity Research on Nutrition and Health, 594
Relationship of serum sodium, potassium, calcium, and phosphorus with blood pressure: Belgian Interuniversity Research on Nutrition and Health, 589
Sex differences
Influence of race, sex, and blood pressure on erythrocyte sodium transport in humans, 251
Sexual function
Sexual dysfunction in hypertensive men: a critical review of the literature, 1 (BR)
Skeletal muscle
Arteriolar diameter and tissue oxygen tension during muscle contraction in hypertensive rats, 184
Sodium
Abnormal renal responses to calcium entry blockade in normotensive offspring of hypertensive parents, 498
Dietary sodium change in primary aldosteronism: atrial natriuretic factor, hormonal, and vascular responses, 192
Effect of sodium on central α_2-adrenergic receptors, 525 (L)
Effects of incremental infusions of atrial natriuretic factor on aldosterone, renin, and blood pressure in humans, 462
Enhanced natriuretic effect of atrial natriuretic factor during mineralocorticoid escape in humans, 450
High NaCl predisposes Dahl rats to cerebral infarction after middle cerebral artery occlusion, 96
Intralymphocytic sodium and free calcium and plasma renin in essential hypertension, 26
Relationship of dietary sodium, potassium, calcium, and magnesium with blood pressure: Belgian Interuniversity Research on Nutrition and Health, 594
Relationship of serum sodium, potassium, calcium, and phosphorus with blood pressure: Belgian Interuniversity Research on Nutrition and Health, 589
Significance of renal vasodilation after administration of atrial natriuretic factor in the conscious dog, 143
Sodium-calcium exchange
Free cytosolic calcium in renal proximal tubules from the spontaneously hypertensive rat, 399
Sodium-hydrogen exchange
Effect of protein kinase C activation on cytoskeleton and cation transport in human erythrocytes: reproduction of

some membrane abnormalities revealed in essential hypertension, 267
Elevated phospholipase C and Na^+-H^+ exchange activity in spontaneously hypertensive rats, 331 (L)

Sodium-potassium pump
Endogenous digitalislike circulating substances in spontaneously hypertensive rats, 108
Hypertensive dog plasma inhibits the Na^+-K^+ pump of cultured vascular smooth muscle, 32

Sodium transport
Erythrocyte water, Na^+-K^+ cotransport, and forearm vascular function in humans, 199
Influence of race, sex, and blood pressure on erythrocyte sodium transport in humans, 251

Special reports
The international standard for atrial natriuretic factor: calibration by an international collaborative study, 629 (SR)

Spontaneously hypertensive rats
Arterial hypertrophy in the fetal and neonatal spontaneously hypertensive rat, 513
Arteriolar diameter and tissue oxygen tension during muscle contraction in hypertensive rats, 184
Atrial natriuretic factor in specific brain areas of spontaneously hypertensive rats, 519
Attenuation of spontaneous hypertension in rats by a vasopressin antagonist, 506
Calcium transport and vitamin D in three breeds of spontaneously hypertensive rats, 310
Central modulation of baroreceptor reflex response to phenylephrine by dihydropyridines in rats, 279
A comparison of nucleoside transport and metabolism in hypertensive and normotensive rats, 102
Effect of chronic hypertension on acute hypertensive disruption of the blood-brain barrier in rats, 549
Effect of sodium on central α_2-adrenergic receptors, 525 (L)
Elevated phospholipase C and Na^+-H^+ exchange activity in spontaneously hypertensive rats, 331 (L)
Endogenous digitalislike circulating substances in spontaneously hypertensive rats, 108
Free cytosolic calcium in renal proximal tubules from the spontaneously hypertensive rat, 399
Long-term microvascular response to hydralazine in spontaneously hypertensive rats, 74
Release of fatty acids by perfused vascular tissue in normotensive and hypertensive rats, 39
Renal α_1-adrenergic receptor response coupling in spontaneously hypertensive rats, 80
Thromboxane and vascular smooth muscle cell growth in genetically hypertensive rats, 46

Stress
Age and blood pressure changes: a 20-year follow-up study in nuns in a secluded order, 457
Dipyridamole echocardiography in essential hypertensive patients with chest pain, 238
Recent life event frequencies in Nigerians with essential hypertension, 330 (L)

Stroke
High potassium diet augments endothelium-dependent relaxations in the Dahl rat, 562
Responses of cerebral arterioles to adenosine 5′-diphosphate, serotonin, and the thromboxane analogue U-46619 during chronic hypertension, 556

Stroke-prone spontaneously hypertensive rats
Adrenal-dependent change in vascular reactivity in stroke-prone spontaneously hypertensive rats, 388
Responses of cerebral arterioles to adenosine 5′-diphosphate, serotonin, and the thromboxane analogue U-46619 during chronic hypertension, 556

Sympathetic nervous system
Adrenal and vascular tyrosine hydroxylase activity in Goldblatt hypertension, 434
Central attenuation of aortic baroreceptor reflex in prehypertensive DOCA-salt–loaded rats, 259
Changes in autonomic regulation induced by physical training in mild hypertension, 600
Effect of sodium on central α_2-adrenergic receptors, 525 (L)
Failure of salt loading to inhibit tissue norepinephrine turnover in prehypertensive Dahl salt-sensitive rats, 568
Increased inositol monophosphate production in cardiovascular tissues of DOCA-salt hypertensive rats, 122
The renin response to aortic occlusion is enhanced by stimulation of the hypothalamus, 52

Thromboxane
Influence of eicosanoids on renal function of DOCA-salt hypertensive rats, 287
Responses of cerebral arterioles to adenosine 5′-diphosphate, serotonin, and the thromboxane analogue U-46619 during chronic hypertension, 556
Thromboxane and vascular smooth muscle cell growth in genetically hypertensive rats, 46

Tooth pulp test
Arterial hypertension is associated with hypalgesia in humans, 491

Triglycerides
Initial antihypertensive drug therapy: final report of a randomized, controlled trial comparing α-blocker and diuretic, 574

Tyrosine hydroxylase
Adrenal and vascular tyrosine hydroxylase activity in Goldblatt hypertension, 434

Vascular compliance
Arterial vascular compliance response to vasodilators by Fourier and pulse contour analysis, 380

Vascular reactivity
Adrenal-dependent change in vascular reactivity in stroke-prone spontaneously hypertensive rats, 388
Angiotensin reactivity in the cheek pouch of the renovascular hypertensive hamster, 373
The endothelium partially obscures enhanced microvessel reactivity in DOCA hypertensive rats, 420
Release of fatty acids by perfused vascular tissue in normotensive and hypertensive rats, 39

Vascular resistance
Attenuation of spontaneous hypertension in rats by a vasopressin antagonist, 506
Cardiopulmonary reflex before and after regression of left ventricular hypertrophy in essential hypertension, 227
Cellular hypertrophy in mesenteric resistance vessels from renal hypertensive rats, 162
Erythrocyte water, Na^+-K^+ cotransport, and forearm vascular function in humans, 199
Resistance to blood flow at maximal vasodilatation, 635 (L)
Significance of renal vasodilation after administration of atrial natriuretic factor in the conscious dog, 143

Vascular sensitivity
Sensitivity of caudal arteries and the mesenteric vascular bed to norepinephrine in DOCA-salt hypertension, 133

Vascular smooth muscle
Cellular hypertrophy in mesenteric resistance vessels from renal hypertensive rats, 162

The discovery of nitric oxide as the endogenous nitrovasodilator, 365 (BR)
Effects of hypertension and its reversal on canine arterial wall properties, 301
Glucocorticoid modulation of β-adrenergic receptors of cultured rat arterial smooth muscle cells, 393
Hypertensive dog plasma inhibits the Na^+-K^+ pump of cultured vascular smooth muscle, 32
Mediators produced by the endothelial cell, 530 (BR)
Thromboxane and vascular smooth muscle cell growth in genetically hypertensive rats, 46

Vasoconstriction
Responses of cerebral arterioles to adenosine 5′-diphosphate, serotonin, and the thromboxane analogue U-46619 during chronic hypertension, 556
Vasoconstriction and hypersensitivity to vasoactive substances after acute volume expansion in dogs, 59

Vasodilation
Cerebral circulation in chronic arterial hypertension, 89 (BR)
Erythrocyte water, Na^+-K^+ cotransport, and forearm vascular function in humans, 199
Resistance to blood flow at maximal vasodilatation, 635 (L)
Significance of renal vasodilation after administration of atrial natriuretic factor in the conscious dog, 143

Vasodilators
Arterial vascular compliance response to vasodilators by Fourier and pulse contour analysis, 380
The discovery of nitric oxide as the endogenous nitrovasodilator, 365 (BR)
In defense of alternative antihypertensive therapy, 327 (PV)
Long-term microvascular response to hydralazine in spontaneously hypertensive rats, 74
Sexual dysfunction in hypertensive men: a critical review of the literature, 1 (BR)

Vasopressin
Attenuation of spontaneous hypertension in rats by a vasopressin antagonist, 506

Vasopressors
Effect of vasopressors on atrial natriuretic factor and hemodynamic function in humans, 20

Ventricular hypertrophy
Cardiopulmonary reflex before and after regression of left ventricular hypertrophy in essential hypertension, 227

Ventricular mass
Left ventricular mass and exercise responses predict future blood pressure: the Muscatine Study, 206

Vitamin D_3
Calcium transport and vitamin D in three breeds of spontaneously hypertensive rats, 310

Volume expansion
Pressure-diuresis in volume-expanded rats: cortical and medullary hemodynamics, 168
Pressure-diuresis in volume-expanded rats: tubular reabsorption in superficial and deep nephrons, 177
Vasoconstriction and hypersensitivity to vasoactive substances after acute volume expansion in dogs, 59

Weight
Volume (weight) loss and blood pressure response following thiazide diuretics, 244